



# 5-Step<sup>®</sup> Animal Welfare Rating Program

## Audit Prep Tool

### Meat Goats v1.0

#### When Should I Use the Audit Prep Tool?

The purpose of this tool is to provide meat goat producers with a simple checklist to help identify where farms and ranches may have issues with compliance to the GAP 5-Step<sup>®</sup> Program for Meat Goats. While this Audit Prep Tool covers many of the key requirements in our Meat Goat Standards, it does not cover every standard. Using this tool does not guarantee that you will pass an audit, but should help you prepare for one. This tool can be used if you are preparing for a new audit or if you are getting ready for a renewal audit. Being prepared for the audit helps to identify and resolve issues before the auditor visits your operation, which in turn, helps the certification process go more smoothly.

#### Who Should Complete It?

Since this Audit Prep Tool was designed to help you get organized for your audit, it would be most beneficial if it were completed by the person(s) responsible for managing the operation and/or an animal caretaker.

#### How Do I Use this Document?

This tool has been divided into sections so that you only need to focus on the sections relevant to your operation. The first section covers the core requirements for ALL Step levels. From there, the document is divided up by Step level – this allows you to skip to the section that’s relevant to the level you’re looking to be certified to. As well, if you’re looking to move up the Steps, this tool can be used to help identify what your operation would need to do. Note that there is no Step 2 or Step 3 rating for goats. Finally, we have provided a checklist for written records and documents that you’ll need to have. The auditor will be looking for these documents during the audit, so if you’re missing any, please check the Meat Goat area of our website for templates to get you started.

#### How Do I Know if My Operation Might Have Issues with Compliance?

If you tick the shaded green boxes, then there is a good chance that you are in compliance with the Standard. In certain circumstances, a specific standard may not apply to your system, in which case you will also have the option to tick the ‘NA’ box. If you tick any non-shaded boxes, or are uncertain about any of the questions, we recommend reviewing our resources in the Meat Goat area of the GAP website or checking in with your certifier for additional help before scheduling the audit.

#### Where Can I Get More Help?

You can find additional information, including additional resources and templates, on the Meat Goat area of the GAP website. If you have any questions, feel free to reach out to your certifier or the Farm Animal Welfare team ([standards@globalanimalpartnership.org](mailto:standards@globalanimalpartnership.org)) at GAP.

# Contents

<a href="#">Requirements for ALL Steps</a> .....	1
<a href="#">Additional Step 1 Requirements</a> .....	6
<b>There is no Step 2 or Step 3 rating for goats.</b>	
<a href="#">Additional Step 4 Requirements</a> .....	9
<a href="#">Additional Step 5 Requirements</a> .....	12
<a href="#">Additional Step 5+ Requirements</a> .....	14
<a href="#">Records and Documents</a> .....	16

## Requirements for ALL Steps

All operations, no matter which Step level you are applying for, should complete this section.

		Yes	No	NA
<b>1 ANIMAL SOURCE AND HEALTH</b>				
1.1	Source / Breed			
1.1.1	Do you have genetically modified or cloned goats?	<input type="radio"/>	<input type="radio"/>	
1.1.2	Do you use laparoscopic (surgical) artificial insemination?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
1.1.8,	If you buy replacement females, are they doelings?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
1.1.9	Of the doelings you buy each year, are more than 20% from non-Step rated farms?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Do you buy your doelings and bucks from:			
	a. Direct farm-to-farm sales	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Video auctions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. Sale or auction barns	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
1.1.10	Can you identify your purchased 5-Step breeding goats? (e.g., using tags, unique markings/colorings, etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
1.2	Medication			
1.2.1	Are all goats treated with antibiotics, ionophores, beta agonists, growth hormones, and/or sulpha drugs sold to non-GAP markets?	<input type="radio"/>	<input type="radio"/>	
1.2.4	Do you check your medication cabinet regularly and make sure expired medication is disposed of?	<input type="radio"/>	<input type="radio"/>	
1.3	Treatment			
1.3.1	Do you treat all sick or injured goats within 24 hours?	<input type="radio"/>	<input type="radio"/>	
1.3.5	Do you segregate sick and/or injured goats?	<input type="radio"/>	<input type="radio"/>	
1.3.7	Are segregated sick or injured goats seen at least twice daily?	<input type="radio"/>	<input type="radio"/>	
1.3.9	Do you have an internal and external parasite control program?	<input type="radio"/>	<input type="radio"/>	
1.3.10	Do you use products (e.g. dips) containing organophosphates on goats?	<input type="radio"/>	<input type="radio"/>	
1.4	On-Farm Euthanasia			
1.4.1	Are the people who perform euthanasia trained?	<input type="radio"/>	<input type="radio"/>	
1.4.4	Does the person euthanizing goats remain with them until they are sure the goat is dead?	<input type="radio"/>	<input type="radio"/>	
1.4.5	When you find a goat that needs to be euthanized, is it euthanized within 24 hours?	<input type="radio"/>	<input type="radio"/>	
1.4.6	Do you euthanized goats using:			
	a. Firearm shot to the head	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Penetrating or non-penetrating captive bolt (followed by exsanguination or pithing)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. Anesthetic overdose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	d. Blunt force trauma	<input type="radio"/>	<input type="radio"/>	
	e. Other	<input type="radio"/>	<input type="radio"/>	

		Yes	No	NA
<b>2 ANIMAL CARE AND MANAGEMENT</b>				
2.1	Flock Management			
2.1.1	If goats are not kept on pasture for any time during rearing (e.g., if housed during bad weather or in finishing pens), are they seen at least once a day?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.1.2	During kidding, do you see doelings at least once a day?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## 5-Step Audit Prep Tool: Meat Goats

ALL STEPS

		Yes	No	NA
	During kidding, do you see does that have needed assistance in the past at least once a day?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.1.3	For all other goats on pasture (outside of kidding season), are they seen at least once a week?	<input type="radio"/>	<input type="radio"/>	
2.2	<b>Kid Management</b>			
2.2.1	Do you make sure that all kids get colostrum as soon as possible after birth?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.2.4	If a kid is not reared on a doe, is the kid:			
2.2.5	a. Given milk or milk replacer twice a day	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.2.6	b. Given its own nipple, if fed via self-feeder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.2.7	c. Given water by the time it's a day old	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	d. Given forage by the time it's 7 days old	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	e. Raised in a group of other artificially reared kids	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.3	<b>Animal Identification</b>			
2.3.1	Can you uniquely identify each of your breeding goats? (e.g., using tags, unique markings/colorings, etc.)	<input type="radio"/>	<input type="radio"/>	
2.3.2	Can you identify your market goats? (either uniquely or by group or lot tag; e.g., using tags, markings/colorings, etc.)	<input type="radio"/>	<input type="radio"/>	
2.3.3	Do goats have more than 1 ear tag in each ear?	<input type="radio"/>	<input type="radio"/>	
2.3.7	Do you brand (either hot or cold)?	<input type="radio"/>	<input type="radio"/>	
2.3.8	For any goats that do not meet the GAP standards, do you have a plan to identify them?	<input type="radio"/>	<input type="radio"/>	
2.4	<b>Handling and Restraint</b>			
2.4.8	Are caretakers who use lariats and lassos on goats trained?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.4.9	If you use electric prods, do you use them:			
	a. Routinely	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. As a last resort	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. On the head, shoulders, or barrel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	d. On the hindquarters	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	e. By giving goats time to respond before it is re-applied	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.5	<b>Body Condition</b>			
2.5.1	Do all goats have a body condition score* of at least 2?  <i>*BCS; <a href="#">see Appendix II in the Meat Goats Standards</a></i>	<input type="radio"/>	<input type="radio"/>	
2.5.2	Are any emaciated goats (BCS less than 2) given additional care?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.6	<b>Disbudding and Dehorning</b>			
2.6.1	Do you dehorn (i.e., remove the developed horn after it has attached to the skull)?	<input type="radio"/>	<input type="radio"/>	
2.6.8	If you tip the ends of horns, do they ever bleed?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.7	<b>De-wattling and De-scenting</b>			
2.7.1	Do you de-wattle?	<input type="radio"/>	<input type="radio"/>	
2.7.2	Do you de-scent bucks?	<input type="radio"/>	<input type="radio"/>	
2.9	<b>Kidding</b>			
2.9.1	Do assisted kiddings exceed 10% of does per kid crop?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.9.2	Do caesarean sections exceed 1% of does per kid crop?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Do you/your vet use pain relief for caesarean sections?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.9.5	While grafting/fostering kids, do you ever tie up does or put them in an adopter pen*?  <i>*pens used for grafting/fostering lambs, where the ewe cannot turn around</i>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.10	<b>Weaning Age</b>			

		Yes	No	NA
2.10.3	When weaning a kid crop, are any kids weaned from does younger than 8 weeks of age?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.10.4	If any kids are not raised on a doe, are they fed milk until at least 4 weeks of age?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.11	Weaning Method			
2.11.1	If you use weaning pens, do you give each kid at least 10ft <sup>2</sup> (0.9m <sup>2</sup> ) of space?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.11.2	If you use weaning pen, are kids in them for more than 7 consecutive days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.12	Lameness			
2.12.1	Do you regularly assess foot health?	<input type="radio"/>	<input type="radio"/>	
	Do you trim or treat feet when necessary?	<input type="radio"/>	<input type="radio"/>	
2.12.2	Does lameness* ever affect more than 1% of the herd?  <i>*see Appendix I in the Meat Goats Standards</i>	<input type="radio"/>	<input type="radio"/>	
2.13	Mortality (includes animals that have died or been euthanized on-farm; stillborns and culls are not included)			
2.13.2	Is pre-weaning mortality greater than 10% per year?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.13.3	Is breeding stock mortality greater than 1% per year?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.13.4	Is market goat mortality greater than 2% per year?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>3 FEED AND WATER</b>				
3.1	Water Availability			
3.1.1	Do goats have continuous access to water?	<input type="radio"/>	<input type="radio"/>	
3.1.2	Are drinkers and water troughs regularly cleaned?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3.2	Feeding Requirements			
3.2.1, 3.2.2	Do all goats have daily access to feed/grass/grazing?	<input type="radio"/>	<input type="radio"/>	
3.2.3	Do all goats have continuous access to palatable fibrous feedstuffs when not on pasture or range? (e.g., hay, haylage, silage, straw, corn stover)	<input type="radio"/>	<input type="radio"/>	
3.2.6	If you use forage feeders are they positioned so that goats eat with their heads facing/tilted upwards?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3.4	Additives and Ingredients in Feed and Water			
3.4.1,	Does feed contain mammalian, avian, or fish by-products? (check feed labels)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3.4.2,		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3.4.3				

		Yes	No	NA
<b>4 LIVING ENVIRONMENT</b>				
4.1	Living Environment			
4.1.5	Can goats both graze and browse (e.g., have access to trees, shrubs and other woody forages) in the range area?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.2	Shade and Windbreaks			
4.2.1	Are goats provided with shade, shelter, and/or windbreaks during bad weather?	<input type="radio"/>	<input type="radio"/>	
4.3	Living Environment when Goats are Removed from Range Areas			
4.3.3	Do you carry out mud scoring*?  <i>*see Appendix III in the Meat Goats Standards</i>	<input type="radio"/>	<input type="radio"/>	
4.3.5	Is bedding provided indoors?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
4.5	Space Requirements			
4.5.4	Do indoor kidding pens provide at least 25 ft <sup>2</sup> (2.3 m <sup>2</sup> ) per doe?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.6	Flooring			
4.6.1	Do you have slatted floors in pens?	<input type="radio"/>	<input type="radio"/>	

		Yes	No	NA
<b>5 RODENT AND PREDATOR CONTROL</b>				
5.1	Rodent Control Program <input type="checkbox"/> If you do not consider rodents a problem on your operation, check this box and move to the Section 5.2			
5.1.2	Does your rodent control program include: a. Methods that only target rodents b. An assessment of different methods of lethal control c. Traps that are species specific, appropriately located, and designed to cause rapid death (if used) d. Licensed rodenticides used only in areas where traps will be ineffective	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5.2	Predator Control <input type="checkbox"/> If you do not consider predators a problem on your operation, check this box and move to the Section 6			
5.2.1	If predators are a problem, is there a control program in place?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5.2.2	Is non-lethal exclusion your first level of predator control?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5.2.3	If you must use lethal methods to control predators, is it completed: a. With a fire arm b. By a skilled shooter c. And the shot kills immediately	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5.2.4	Do you use poisons, drowning, snares, or any trap besides a live trap?	<input type="radio"/>	<input type="radio"/>	
5.3	Guardian Animals			
5.3.1	If you use a guardian animal (dogs, llamas, donkeys, etc.), have they effectively deterred predators in your area?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If you use a guardian animal (dogs, llamas, donkeys, etc.), have they ever harmed the goats they are guarding?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>6 TRANSPORT (i.e., any animal movement off of the operation or on/around the operation for longer than 2 hours)</b>				
6.1	Water and Feed Withdrawal			
6.1.1	Is water continuously available until loading begins?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.1.2	Is feed (including grass/grazing) provided until at least 8 hours before loading?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>7 PLANS, PROTOCOLS, PROCEDURES, TRAINING, RECORDS AND TRACEABILITY</b>				
7.1	General Records Requirements			
7.1.1, 7.1.2	Are all records and documents listed in the "Records and Documents" section of this Audit Prep Tool organized and ready for the auditor to review?	<input type="radio"/>	<input type="radio"/>	
7.1.3	Do you keep all records, reports, and GAP certificates for at least 15 months?	<input type="radio"/>	<input type="radio"/>	
7.4	Alternative Power Supply			

5-Step Audit Prep Tool: Meat Goats

ALL STEPS

		Yes	No	NA
7.4.1	If your operation requires power for heating, cooling, ventilation, watering, or feeding systems, do you have: a. An alternative power b. A way to be notified if there is power failure	<input type="radio"/> <input type="radio"/>	<input type="radio"/> <input type="radio"/>	<input type="radio"/> <input type="radio"/>
7.5	Training			
7.5.1	Do you have a training program for all goat caregivers that: a. Is written and/or hands-on b. Is presented in employees' language c. Describes normal and abnormal goat behavior d. Covers individual's responsibilities e. Covers emergency procedures f. Is provided before the individual handles goats g. Covers the GAP Meat Goat Standards h. Is on-going	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	
7.6	Traceability and Chain of Custody			
7.6.4	If you use a collection point, is it GAP certified?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>8 SLAUGHTER REQUIREMENTS</b>				
8.1	General Requirements			
	Does your slaughter facility have a current third-party animal welfare audit certificate on file? (you may have to contact your slaughter facility, producer group, co-operative, or other marketing entity to get this information)	<input type="radio"/>	<input type="radio"/>	

## Additional Step 1 Requirements

Only operations aiming to achieve a Step 1 rating should fill out this section. If you plan to apply for a different Step rating, you can jump to the Requirements section for the associated Step level.

		Yes	No	NA
<b>1 ANIMAL SOURCE AND HEALTH</b>				
1.1	Source / Breed			
1.1.6	If you buy market goats, do you get them from an operation that is GAP-certified? (can be either a meat goat or dairy goat operation)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Do you buy your market goats through:			
	a. Direct farm-to-farm sales	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Video auctions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. Sale or auction barns	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>2 ANIMAL CARE AND MANAGEMENT</b>				
2.2	Kid Management			
2.2.2	If you buy kids from dairy goat operations, are they placed on your operation within 72 hours of birth?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If you buy kids from dairy goat operations, is the dairy goat operation GAP-certified?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.3	Animal Identification			
2.3.4	If you ear notch, do you use one of the following? a. An ear-notching tool b. A surgically sharp knife/scalpel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.3.5	After ear notching, is at least 90% of the ear left intact?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.6	Disbudding and Dehorning			
2.6.2	If kids are disbudded, do you use one of the following? a. Caustic paste b. Hot iron	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.6.3	If kids are disbudded using caustic paste, is it done on or before 7 days of age?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.6.4	If kids are disbudded using a hot iron, is it done: a. Before the average age of the group is older 14 days b. Before any kid is older than 21 days	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.8	Castration			
2.8.1	On average, are kids castrated at an age of 14 days or less?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Is castrated done before any kid is 21 days old?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.8.4	Do you castrate using one of the following methods? a. Rubber rings/bands b. Scalpel c. Bloodless clamp (Burdizzo)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.10	Weaning Age			
2.10.1	On average, are kids at least 12 weeks old at weaning?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>4 LIVING ENVIRONMENT</b>				
4.1	Living Environment			
4.1.1	Do you remove goats from pasture:			



		Yes	No	NA
	a. For ease of management	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. For finishing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. In adverse weather conditions or at other times when there is a risk to goat health/welfare	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.1.2	If goats are removed from range during the winter, does time off range exceed 120 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.1.8	If market goats are removed from range for finishing:			
	a. Are finishing pens outdoors?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Is time spent in finishing pen 30 days or less?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. Do they go directly from finishing to slaughter?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.3	<b>Living Environment when Goats are Removed from Range Areas</b>			
4.3.1	Do all goats have continuous access to the outdoors during the day?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.3.2	If does are housed for kidding when the rest of the herd is out range, does it exceed 7 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.4	<b>Environmental Enrichment</b>			
4.4.1	If goats are removed from range, do they have access to climbing structures, mounds, or unusual edibles (e.g., cut trees, hanging brassicas. etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.5	<b>Space Requirements</b>			
4.5.1	If goats are finished off the range, do they have least 35 ft <sup>2</sup> (3.3 m <sup>2</sup> ) per goat?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If goats are finished off the range with access to an indoor area, do they have least:			
	a. 15 ft <sup>2</sup> (1.4 m <sup>2</sup> ) indoor per goat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. 20 ft <sup>2</sup> (1.9 m <sup>2</sup> ) outdoors per goat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.5.2	If weaned kids (up until finishing) are removed from range, do they have least 20 ft <sup>2</sup> (1.9 m <sup>2</sup> ) per kid?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If weaned kids (up until finishing) are removed from the range with access the indoors, do they have least:			
	a. 8.5 ft <sup>2</sup> (0.8 m <sup>2</sup> ) indoor per kid	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. 11.5 ft <sup>2</sup> (1.1 m <sup>2</sup> ) outdoors per kid	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.5.3	If breeding stock are removed from range areas, do they have least 43 ft <sup>2</sup> (4.0 m <sup>2</sup> ) per goat?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If breeding stock are removed from the range with access the indoors, do they have least:			
	a. 16 ft <sup>2</sup> (1.5 m <sup>2</sup> ) indoor per goat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. 27 ft <sup>2</sup> (2.5 m <sup>2</sup> ) outdoors per goat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.5.5	If housed for kidding, does each doe have at least 33 ft <sup>2</sup> (3.1 m <sup>2</sup> ) of outdoor space after 7 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>6 TRANSPORT (i.e., any animal movement off of the operation or on/around the operation for longer than 2 hours)</b>				
6.3	<b>Loading/Unloading</b>			
6.3.4	If the loading/unloading crew uses electric prods, do they use them:			
	a. Routinely	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. As a last resort	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. On the head, shoulders, or barrel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	d. On the hindquarters	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	e. By giving goats time to respond before it is re-applied	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.4	<b>Transport and Loading Equipment</b>			
6.4.3	Do ramp slopes for the first trailer deck have more than a 20-degree incline?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.4.6	During transport, is each goat given at least the following amount of space?			
	a. Kids: 2.0 ft <sup>2</sup> (0.19 m <sup>2</sup> )	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
	b. Market goats: 2.7 ft <sup>2</sup> (0.25 m <sup>2</sup> ) c. Bucks and does: 4.0 ft <sup>2</sup> (0.37 m <sup>2</sup> )  <i>*This can be calculated by measuring the length and width of the floor inside the trailer. Multiply the two numbers to get the total area provided (if there are multiples levels in a trailer, calculate the space for each level and add them together). Next, divide the total area by the number of goats you place in the trailer. This will give you the amount of space provided for each goat.</i>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.5	Transport Personnel Responsibilities and Procedures			
6.5.4	If the truck picks up animals from other operations in addition to yours, is there a separate delivery note for your operation?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.6	Transport Duration			
6.6.1	Does transport take longer than 12 hours?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

There is no Step 2 or Step 3 rating for goats.

## Additional Step 4 Requirements

Only operations aiming to achieve a Step 4 rating should fill out this section. If you plan to apply for a different Step rating, you can jump to the Requirements section for the associated Step level.

		Yes	No	NA
<b>1 ANIMAL SOURCE AND HEALTH</b>				
1.1	Source / Breed			
1.1.7	If you buy market goats, do you get them from a GAP-certified meat goat operation?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Do you buy your market goats through:			
	a. Direct farm-to-farm sales	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Video auctions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. Sale or auction barns	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>2 ANIMAL CARE AND MANAGEMENT</b>				
2.3	Animal Identification			
2.3.4	If you ear notch, do you use one of the following?			
	a. An ear-notching tool	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. A surgically sharp knife/scalpel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.3.5	After ear notching, is at least 90% of the ear left intact?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.6	Disbudding and Dehorning			
2.6.2	If kids are disbudded, do you use one of the following?			
	a. Caustic paste	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Hot iron	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.6.3	If kids are disbudded using caustic paste, is it done on or before 7 days of age?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.6.4	If kids are disbudded using a hot iron, is it done:			
	a. Before the average age of the group is older 14 days	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Before any kid is older than 21 days	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.8	Castration			
2.8.2	On average, are kids castrated at an age of 7 days or less?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Is castrated done before any kid is 10 days old?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.8.4	Do you castrate using one of the following methods?			
	a. Rubber rings/bands	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Scalpel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. Bloodless clamp (Burdizzo)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.10	Weaning Age			
2.10.1	On average, are kids at least 12 weeks old at weaning?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.11	Weaning Method			
2.11.3	Are kids weaned using the following low-stress methods?			
	a. Fence line weaning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Gradual removal of does from a group	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. Removing does from the group to leave kids in familiar surroundings	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	d. Natural weaning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>4 LIVING ENVIRONMENT</b>				
<b>4.1</b>	<b>Range Areas and Outdoor Pens</b>			
4.1.1	Do you remove goats from pasture:			
	a. For ease of management	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. For finishing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. In adverse weather conditions or at other times when there is a risk to goat health/welfare	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.1.2	If goats are removed from range during the winter, does time off range exceed 120 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.1.3	Do all market goats spend the last 90 days of their lives on range?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.1.9	Do you use finishing pens or feed lots?	<input type="radio"/>	<input type="radio"/>	
<b>4.3</b>	<b>Living Environment when Goats are Removed from Range Areas</b>			
4.3.1	Do all goats have continuous access to the outdoors during the day?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.3.2	If does are housed for kidding when the rest of the herd is out range, does it exceed 7 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.3.4	If goats are removed from range, do you give them a bedded area?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>4.4</b>	<b>Environmental Enrichment</b>			
4.4.1	If goats are removed from range, do they have access to climbing structures, mounds, or unusual edibles (e.g., cut trees, hanging brassicas. etc.)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>4.5</b>	<b>Space Requirements</b>			
4.5.2	If weaned kids (up until finishing) are removed from range, do they have least 20 ft <sup>2</sup> (1.9 m <sup>2</sup> ) per kid?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If weaned kids (up until finishing) are removed from the range with access the indoors, do they have least:			
	a. 8.5 ft <sup>2</sup> (0.8 m <sup>2</sup> ) indoor per kid	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. 11.5 ft <sup>2</sup> (1.1 m <sup>2</sup> ) outdoors per kid	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.5.3	If breeding stock are removed from range areas, do they have least 43 ft <sup>2</sup> (4.0 m <sup>2</sup> ) per goat?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If breeding stock are removed from the range with access the indoors, do they have least:			
	a. 16 ft <sup>2</sup> (1.5 m <sup>2</sup> ) indoor per goat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. 27 ft <sup>2</sup> (2.5 m <sup>2</sup> ) outdoors per goat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.5.5	If housed for kidding, does each doe have at least 33 ft <sup>2</sup> (3.1 m <sup>2</sup> ) of outdoor space after 7 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>6 TRANSPORT (i.e., any animal movement off of the operation or on/around the operation for longer than 2 hours)</b>				
<b>6.3</b>	<b>Loading/Unloading</b>			
6.3.4	If the loading/unloading crew uses electric prods, do they use them:			
	a. Routinely	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. As a last resort	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. On the head, shoulders, or barrel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	d. On the hindquarters	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	e. By giving goats time to respond before it is re-applied	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>6.4</b>	<b>Transport and Loading Equipment</b>			
6.4.3	Do ramp slopes for the first trailer deck have more than a 20-degree incline?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.4.6	During transport, is each goat given at least the following amount of space?			
	a. Kids: 2.0 ft <sup>2</sup> (0.19 m <sup>2</sup> )	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Market goats: 2.7 ft <sup>2</sup> (0.25 m <sup>2</sup> )	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
	<p>c. Bucks and does: 4.0 ft<sup>2</sup> (0.37 m<sup>2</sup>)</p> <p><i>*This can be calculated by measuring the length and width of the floor inside the trailer. Multiply the two numbers to get the total area provided (if there are multiples levels in a trailer, calculate the space for each level and add them together). Next, divide the total area by the number of goats you place in the trailer. This will give you the amount of space provided for each goat.</i></p>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.5	Transport Personnel Responsibilities and Procedures			
6.5.4	If the truck picks up animals from other operations in addition to yours, is there a separate delivery note for your operation?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.6	Transport Duration			
6.6.1	Does transport take longer than 12 hours?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## Additional Step 5 Requirements

Only operations aiming to achieve a Step 5 rating should fill out this section. If you plan to apply for a different Step rating, you can jump to the Requirements section for the associated Step level.

		Yes	No	NA
<b>1 ANIMAL SOURCE AND HEALTH</b>				
1.1	Source / Breed			
1.1.7	If you buy market goats, do you get them from a GAP-certified meat goat operation?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Do you buy your market goats through:			
	a. Direct farm-to-farm sales	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Video auctions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. Sale or auction barns	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>2 ANIMAL CARE AND MANAGEMENT</b>				
2.3	Animal Identification			
2.3.6	Do you ear notch?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.6	Disbudding and Dehorning			
2.6.6	Do you disbud?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.8	Castration			
2.8.3	Do you castrate?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.10	Weaning Age			
2.10.2	On average, are kids at least 16 weeks old at weaning?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.11	Weaning Method			
2.11.3	Are kids weaned using the following low-stress methods?			
	a. Fence line weaning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Gradual removal of does from a group	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. Removing does from the group to leave kids in familiar surroundings	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	d. Natural weaning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.15	Other Commercial Animals on the Operation			
2.15.1	Are all other livestock animals on the operation managed according to Step 1 Standards or higher?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.16	Domestic Animals on the Operation			
2.16.2	Are all domestic animals (e.g., dogs, cats, horses, chickens, or any other animals on the operation, including both pets and working animals) on-farm given the following?			
	a. Food and water	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. An environment that do not cause them injury and allows for exercise and comfortable resting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. Veterinary attention, if required	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>4 LIVING ENVIRONMENT</b>				
4.1	Range Areas and Outdoor Pens			
4.1.4	Do goats have access to range at all times?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If goats need to be removed from range due to extreme weather, does it exceed:	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
	a. 5 consecutive days b. 25 days throughout a calendar year			
4.1.9	Do you use finishing pens or feed lots?	<input type="radio"/>	<input type="radio"/>	
4.3	Living Environment when Goats are Removed from Range Areas			
4.3.4	If goats are removed from range, do you give them a bedded area?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.4	Environmental Enrichment			
4.4.2	Do goats on range have access to climbing structures, mounds, or unusual edibles (e.g., cut trees, hanging brassicas. etc.)?	<input type="radio"/>	<input type="radio"/>	

		Yes	No	NA
<b>6 TRANSPORT (i.e., any animal movement off of the operation or on/around the operation for longer than 2 hours)</b>				
6.3	Loading/Unloading			
6.3.4	If the loading/unloading crew uses electric prods, do they use them:			
	a. Routinely	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. As a last resort	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. On the head, shoulders, or barrel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	d. On the hindquarters	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	e. By giving goats time to respond before it is re-applied	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.4	Transport and Loading Equipment			
6.4.3	Do ramp slopes for the first trailer deck have more than a 20-degree incline?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.4.6	During transport, is each goat given at least the following amount of space?			
	a. Kids: 2.0 ft <sup>2</sup> (0.19 m <sup>2</sup> )	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	b. Market goats: 2.7 ft <sup>2</sup> (0.25 m <sup>2</sup> )	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	c. Bucks and does: 4.0 ft <sup>2</sup> (0.37 m <sup>2</sup> )	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	<i>*This can be calculated by measuring the length and width of the floor inside the trailer. Multiply the two numbers to get the total area provided (if there are multiples levels in a trailer, calculate the space for each level and add them together). Next, divide the total area by the number of goats you place in the trailer. This will give you the amount of space provided for each goat.</i>			
6.5	Transport Personnel Responsibilities and Procedures			
6.5.4	If the truck picks up animals from other operations in addition to yours, is there a separate delivery note for your operation?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.6	Transport Duration			
6.6.1	Does transport take longer than 12 hours?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.8	Sale/Auction Barns			
6.8.1	Do you sell any goats through auction or sale barns?	<input type="radio"/>	<input type="radio"/>	

## Additional Step 5+ Requirements

Only operations aiming to achieve a Step 5+ rating should fill out this section. If you plan to apply for a different Step-rating, you can jump to the Requirements section for the associated Step level.

		Yes	No	NA
<b>2 ANIMAL CARE AND MANAGEMENT</b>				
2.3	Animal Identification			
2.3.6	Do you ear notch?	<input type="radio"/>	<input type="radio"/>	
2.6	Disbudding and Dehorning			
2.6.6	Do you disbud?	<input type="radio"/>	<input type="radio"/>	
2.8	Castration			
2.8.3	Do you castrate?	<input type="radio"/>	<input type="radio"/>	
2.10	Weaning Age			
2.10.2	On average, are kids at least 16 weeks old at weaning?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.11	Weaning Method			
2.11.3	Are kids weaned using the following low-stress methods? a. Fence line weaning b. Gradual removal of does from a group c. Removing does from the group to leave kids in familiar surroundings d. Natural weaning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.15	Other Commercial Animals on the Operation			
2.15.1	Are all other livestock animals on the operation managed according to Step 1 Standards or higher?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.16	Domestic Animals on the Operation			
2.16.2	Are all domestic animals (e.g., dogs, cats, horses, chickens, or any other animals on the operation, including both pets and working animals) on-farm given the following? a. Food and water b. An environment that do not cause them injury and allows for exercise and comfortable resting c. Veterinary attention, if required	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>4 LIVING ENVIRONMENT</b>				
4.1	Range Areas and Outdoor Pens			
4.1.4	Do goats have access to range at all times?	<input type="radio"/>	<input type="radio"/>	
	If goats need to be removed from range due to extreme weather, does it exceed: a. 5 consecutive days b. 25 days throughout a calendar year	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.1.9	Do you use finishing pens or feed lots?	<input type="radio"/>	<input type="radio"/>	
4.3	Living Environment when Goats are Removed from Range Areas			
4.3.4	If goats are removed from range, do you give them a bedded area?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.4	Environmental Enrichment			
4.4.2	Do goats on range have access to climbing structures, mounds, or unusual edibles (e.g., cut trees, hanging brassicas. etc.)?	<input type="radio"/>	<input type="radio"/>	



		Yes	No	NA
<b>5 RODENT AND PREDATOR CONTROL</b>				
5.2	Predator Control			
5.2.6	Are live traps checked <b>twice</b> daily and captures released within 24 hours?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

		Yes	No	NA
<b>6 TRANSPORT (i.e., any animal movement off of the operation or on/around the operation for longer than 2 hours)</b>				
6.6	Transport Duration			
6.6.2	Do you transport market goats off the operation?	<input type="radio"/>	<input type="radio"/>	
6.8	Sale/Auction Barns			
6.8.1	Do you sell any goats through auction or sale barns?	<input type="radio"/>	<input type="radio"/>	

		Yes	No	NA
<b>8 SLAUGHTER REQUIREMENTS</b>				
8.2	Segregation and In-Facility Traceability			
8.2.2	Are goats slaughtered on-farm?	<input type="radio"/>	<input type="radio"/>	

## Records and Documents

All operations, no matter which Step level you are applying for, should complete this section.

Records and documents should be written and organized. Acceptable formats include, but are not limited to, record sheets and cards, calendars, notebooks, and computer documents. If you do not have any records or documents listed here, please check the Meat Goat area of the GAP website for templates to get you started.

Std #	Document needed for auditor to review		Yes	No	NA
	Do you keep a record of the dates for your kidding period?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
1.3.3	Do you keep treatment records?		<input type="radio"/>	<input type="radio"/>	
	If Yes	Do your records include:			
		a. The substance/product administered	<input type="radio"/>	<input type="radio"/>	
		b. Animal or group identification	<input type="radio"/>	<input type="radio"/>	
		c. Date and method of administration	<input type="radio"/>	<input type="radio"/>	
2.1.1, 2.1.2, 2.1.3	During herd observations, if there are any health for welfare issues, do you keep a record?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.2.2	If you buy kids from dairy goat operations, do you record of the age of kids when they are placed on your operation?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.6	Do you keep disbudding records?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If Yes	Do your records include:			
		a. The date	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		b. The method used	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.8	Do you keep a record of the date(s) you castrated each kid crop?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.9.1	Do you keep a record of the number of assisted kiddings for each kid crop?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.9.2	Do you keep a record of the number of cesarean sections for each kid crop?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.10	Do you keep a record of the date(s) you wean each kid crop and/or batch?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If you have to wean an individual kid early, do you keep a record of the date of weaning and the reason?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2.13.1	Do you keep mortality records?		<input type="radio"/>	<input type="radio"/>	
	If Yes	Do you record mortality separately for:			
		a. Pre-weaned kids	<input type="radio"/>	<input type="radio"/>	
		b. Market goats	<input type="radio"/>	<input type="radio"/>	
		c. Breeding stock	<input type="radio"/>	<input type="radio"/>	
		Do you note the cause of death?	<input type="radio"/>	<input type="radio"/>	
3.4.4	Do you keep copies of all feed tags/ingredient lists, including vitamin and mineral mixes?		<input type="radio"/>	<input type="radio"/>	
4.1.8, 4.3.1	If you take goats off pasture, do you keep a record?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If Yes	Do your records include:			
		a. The date they are removed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		b. The reason for removal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		c. The date they return to pasture	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4.7.1	If goats are housed, do you assess and record air quality daily?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.5.1	Do the drivers who transport your goats have a document that covers their responsibilities during transport?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6.7.1	If you ship goats off-farm, do you keep transport records?		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If Yes	Do your records include:			

		a. Date	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		b. Loading start and end times	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		c. Departure and arrival times	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		d. Number of goats transported	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		e. Reasons for stops or delays en route	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		f. Mortalities	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7.2.1		Do you have a written farm plan?	<input type="radio"/>	<input type="radio"/>	
	If Yes	Does your plan that include:			
		a. An overview of the operation	<input type="radio"/>	<input type="radio"/>	
		b. Nutrition/feeding details	<input type="radio"/>	<input type="radio"/>	
		c. Health programs	<input type="radio"/>	<input type="radio"/>	
		d. Routine husbandry practices	<input type="radio"/>	<input type="radio"/>	
		e. Protocols for sick and injured goats	<input type="radio"/>	<input type="radio"/>	
		f. Outdoor area and pasture management	<input type="radio"/>	<input type="radio"/>	
		g. Rodent and predator control practices	<input type="radio"/>	<input type="radio"/>	
		h. Management during adverse weather	<input type="radio"/>	<input type="radio"/>	
		i. Emergency procedures	<input type="radio"/>	<input type="radio"/>	
7.3.1		Do you have a biosecurity plan?	<input type="radio"/>	<input type="radio"/>	
	If Yes	Does your plan that include:			
		a. Procedures for bringing any new or returning goats on-site	<input type="radio"/>	<input type="radio"/>	
		b. Procedures and policies for employees	<input type="radio"/>	<input type="radio"/>	
		c. Procedures and policies for visitors	<input type="radio"/>	<input type="radio"/>	
		d. Procedures for feed trucks and equipment delivery	<input type="radio"/>	<input type="radio"/>	
		e. Policy for shared borders with neighboring operations	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		f. Clean-out procedures of housing and pens between groups of goats	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7.5.2		Do you keep employee training records?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If Yes	Do your records include:			
		a. Date of training	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		b. Topics covered	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7.6.1		If you move goats, whether on or off your farm, do you keep a record?	<input type="radio"/>	<input type="radio"/>	
	If Yes	Do you keep records:			
		a. For each flock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		b. That can trace all goats back to birth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		c. That can trace subsequent movement of all goats to next destination (i.e., to the finishing operation or slaughter facility)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7.6.2		Do you keep a chain of custody record for each shipment of goats?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	If Yes	Do your records include:			
		a. Number of goats transported	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		b. Date	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		c. Step-rating	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		d. Certificate number	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		e. Certificate expiry date	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		f. Next destination (i.e. operation, collection, slaughter plant)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		g. Any deviations granted	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7.6.3		If you buy goats, do you keep a copy of the previous operation's GAP certificate?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>